

Supporting Information

Rec. Nat. Prod. 8:3 (2014) 303-306


Tyrosinase Inhibitory Chemical Constituents from the *Cleyera japonica* Thunberg Branches

Jung Eun Kim¹, Tae-Heon Oh¹, Chang-Gu Hyun² and Nam Ho Lee^{*1}


¹Department of Chemistry and Comsmetic Science Research Center, Jeju National University,
Ara-1, Jeju 690-756, South Korea

²LINC Agency, Jeju National University, Ara-1, Jeju 690-756, South Korea

Table of Contents	Page
S1: ¹ H-NMR (400 MHz, DMSO- <i>d</i> ₆) Spectrum of Compound 1	2
S2: ¹³ C-NMR (100 MHz, DMSO- <i>d</i> ₆) Spectrum of Compound 1	3
S3: ¹ H-NMR (400 MHz, DMSO- <i>d</i> ₆) Spectrum of Compound 2	4
S4: ¹³ C-NMR (100 MHz, DMSO- <i>d</i> ₆) Spectrum of Compound 2	5
S5: ¹ H-NMR (400 MHz, CD ₃ OD) Spectrum of Compound 3	6
S6: ¹³ C-NMR (100 MHz, CD ₃ OD) Spectrum of Compound 3	7
S7: ¹ H-NMR (400 MHz, CD ₃ OD) Spectrum of Compound 4	8
S8: ¹³ C-NMR (100 MHz, CD ₃ OD) Spectrum of Compound 4	9




S1: ^1H -NMR (400 MHz, $\text{DMSO}-d_6$) Spectrum of Compound **1**




S2: ^{13}C -NMR (100 MHz, $\text{DMSO-}d_6$) Spectrum of Compound **1**


S3: $^1\text{H-NMR}$ (400 MHz, $\text{DMSO-}d_6$) Spectrum of Compound **2**




S4: ^{13}C -NMR (100 MHz, $\text{DMSO-}d_6$) Spectrum of Compound 2




S5: ¹H-NMR (400 MHz, CD₃OD) Spectrum of Compound 3



S6: ¹³C-NMR (100 MHz, CD₃OD) Spectrum of Compound 3



S7: ¹H-NMR (400 MHz, CD₃OD) Spectrum of Compound 4



S8: ^{13}C -NMR (100 MHz, CD_3OD) Spectrum of Compound 4