

## Supporting Information

*Rec. Nat. Prod.* 8:2 (2014) 199-202


### Cholinesterase Inhibiting Activity and A New Piperidine Alkaloid from *Lobelia laxiflora* L. Roots (Campanulaceae)

Enas H. Abdel Rahman and Azza R. Abdel Monem


*Department of Pharmacognosy, Faculty of Pharmacy, Cairo University, Cairo 11562, Egypt.*

<b>List of Contents</b>	<b>Page</b>
<b>S1:</b> <sup>1</sup> H-NMR of compound 1	2
<b>S2:</b> <sup>13</sup> C-NMR of compound 1	2
<b>S3:</b> HSQC of compound 1	3
<b>S4:</b> HMBC of compound 1	3
<b>S5:</b> COSY of compound 1	4
<b>S6:</b> MS of compound 1	4
<b>S7:</b> <sup>1</sup> H-NMR of compound 2	5
<b>S8:</b> <sup>13</sup> C-NMR of compound 2	5
<b>S9:</b> HSQC of compound 2	6
<b>S10:</b> HMBC of compound 2	6
<b>S11:</b> COSY of compound 2	7
<b>S12:</b> MS of compound 2	7







S3: HSQC of compound 1




S4: HMBC of compound 1




S5: COSY of compound 1




S6: MS of compound 1




S7:  $^1\text{H-NMR}$  of compound 2







S9: HSQC of compound 2



S10: HMBC of compound 2



**S11:** COSY of compound 2



**S12:** MS of compound 2