

Supporting Information

Rec. Nat. Prod. 11:1 (2016) 74-76

A New Sugar Ester from the Roots of *Acanthus ilicifolius*

Na Lin^{1,2}, Bo Yi¹, Juan Li², Wanke Zhang*² and Xiaopo Zhang*²

¹Department of Pharmacy, The General Hospital of People's Liberation Army (187 hospital),
Haikou 571159, China

²School of Pharmaceutical Sciences, Hainan Medicinal University, Haikou, 571199 China

Table of Contents	Page
Figure S1. HR-ESI-MS data of the new compound 1	2
Figure S2. IR spectrum of the new compound 1	2
Figure S3. ¹ H-NMR (600 MHz, CD ₃ OD) spectrum of the new compound 1	3
Figure S4. ¹³ C-NMR (150 MHz, CD ₃ OD) spectrum of the new compound 1	3
Figure S5. HSQC spectrum of the new compound 1	4
Figure S6. HMBC spectrum of the new compound 1	4




Figure S1. HR-ESI-MS data of the new compound 1




Figure S2: IR spectrum of the new compound 1




Figure S3. ¹H NMR (600 MHz, CD₃OD) spectrum of the new compound **1**




Figure S4. ¹³C NMR (150 MHz, CD₃OD) spectrum of the new compound **1**




Figure S5. HSQC spectrum of the new compound **1**




Figure S6. HMBC spectrum of the new compound **1**