

## Supporting Information

*Rec. Nat. Prod.* 12:5 (2018) 445-459

### **Anatolian Propolis Prevents Oxalate Kidney Stones: Dramatic Reduction of Crystal Deposition in Ethylene-Glycol- Induced Rat Model**

**Fehmi Narter<sup>1</sup>, Ayça Diren<sup>2</sup>, Alper Kafkaslı<sup>3</sup>, Allison P. Eronat<sup>2</sup>,  
M. Fatih Seyhan<sup>2</sup>, Hülya Yılmaz-Aydoğan<sup>2</sup>, Sukran Sarıkaya<sup>4</sup>,  
Seda Damla Hatipoğlu<sup>5</sup>, Kemal Sarıca<sup>1</sup> and Oguz Ozturk<sup>2\*</sup>**

<sup>1</sup>*Department of Urology, Kartal Dr.Lütfi Kırdar Research and Training Hospital, Istanbul, Türkiye*

<sup>2</sup>*Department of Molecular Medicine, Institute of Experimental Medicine, Istanbul University, Istanbul, Türkiye*

<sup>3</sup>*Department of Urology, Istanbul Yeni Yuzyil University, Istanbul, Türkiye*

<sup>4</sup>*Department of Pathology, Kartal Dr.Lütfi Kırdar Research and Training Hospital, Istanbul, Türkiye*


<sup>5</sup>*Reference Materials Laboratory, Chemistry Group, National Metrology Institute, TUBITAK, Kocaeli, Türkiye*

#### **Table of Contents**

**Page**

**S1:** LC-MS/MS chromatograms of determined secondary metabolites

2



**S1:** LC-MS/MS chromatograms of determined secondary metabolites