

Supporting Information

Rec. Nat. Prod. 12:6 (2018) 619-629

Herbicidal and Fungicidal Effects of *Cuminum cyminum*, *Mentha longifolia* and *Allium sativum* Essential Oils on Some Weeds and Fungi

Tamer Üstüner^{1*}, Saban Kordali² and Ayse Usanmaz Bozhuyuk³

¹*Plant Protection Department, Agriculture Faculty, University of Kahramanmaraş Sutcu Imam, Kahramanmaraş, Türkiye*

²*Plant Protection Department, Fethiye Agriculture Faculty, University of Mugla Sitki Kocman, Mugla, Türkiye*

³*Plant Protection Department, Agriculture Faculty, University of İğdır, İğdır, Türkiye*

Figure of Contents	Page
Figure S1 : Herbicidal effects of <i>C. cyminum</i> L., <i>M. longifolia</i> L. and <i>A. sativum</i> L. essential oils on <i>R. crispus</i> L. seed germination	2
Figure S2 : Herbicidal effects of <i>C. cyminum</i> L., <i>M. longifolia</i> L. and <i>A. sativum</i> L. essential oils in <i>R. crispus</i> L. root growth (mm)	2
Figure S3 : Herbicidal effects of <i>C. cyminum</i> L., <i>M. longifolia</i> L. and <i>A. sativum</i> L. essential oils on <i>R. crispus</i> L. shoot growth (mm)	3
Figure S4 : Herbicidal effects of <i>C. cyminum</i> L., <i>M. longifolia</i> L. and <i>A. sativum</i> L. essential oils on <i>C. arvensis</i> L. seed germination	3
Figure S5 : Herbicidal effects of <i>C. cyminum</i> L., <i>M. longifolia</i> L. and <i>A. sativum</i> L. essential oils in <i>C. arvensis</i> L. root growth (mm)	4
Figure S6 : Herbicidal effects of <i>C. cyminum</i> L., <i>M. longifolia</i> L. and <i>A. sativum</i> L. essential oils on <i>C. arvensis</i> L. shoot growth (mm)	4
Figure S7 : Influence of essential oils obtained from <i>C. cyminum</i> L., <i>M. longifolia</i> L. and <i>A. sativum</i> L. on <i>V. dahlia</i> Kleb. mycelial growth	5
Figure S8 : Effect of essential oils obtained from <i>C. cyminum</i> L., <i>M. longifolia</i> L. and <i>A. sativum</i> L. on <i>F. oxysporum</i> Schl. mycelial growth	5




Figure S1 : Herbicidal effects of *C. cyminum* L., *M. longifolia* L. and *A. sativum* L. essential oils on *R. crispus* L. seed germination




Figure S2 : Herbicidal effects of *C. cyminum* L., *M. longifolia* L. and *A. sativum* L. essential oils in *R. crispus* L. root growth (mm).




Figure S3 : Herbicidal effects of *C. cyminum* L., *M. longifolia* L. and *A. sativum* L. essential oils on *R. crispus* L. shoot growth (mm).




Figure S4 : Herbicidal effects of *C. cyminum* L., *M. longifolia* L. and *A. sativum* L. essential oils on *C. arvensis* L. seed germination.




Figure S5 : Herbicidal effects of *C. cyminum* L., *M. longifolia* L. and *A. sativum* L. essential oils in *C. arvensis* L. root growth (mm).




Figure S6 : Herbicidal effects of *C. cyminum* L., *M. longifolia* L. and *A. sativum* L. essential oils on *C. arvensis* L. shoot growth (mm).




Figure S7 : Influence of essential oils obtained from *C. cyminum* L., *M. longifolia* L. and *A. sativum* L. on *V. dahlia* Kleb. mycelial growth.




Figure S8 : Effect of essential oils obtained from *C. cyminum* L., *M. longifolia* L. and *A. sativum* L. on *F. oxysporum* Schl. mycelial growth.