Supporting Information

Rec. Nat. Prod. 16:4 (2022) 353-357

Two New Bibenzyls from Dendrobium hercoglossum

Lei Cheng^{#1, 3}, Yike Fang^{#1, 4}, Huiling He^{1, 4}, Maosheng Zhang^{1, 4}, Minjian Dong^{1, 4}, Chengxin Sun^{*1, 4} and Shiji Xiao^{*1, 2, 4}

¹Key Laboratory of Basic Pharmacology of Guizhou Province and School of Pharmacy, Zunyi Medical University, Zunyi, Guizhou, 563000, China

²State Key Laboratory of Functions and Applications of Medicinal Plants, Guizhou Medcial University, Guiyang 550014, China

³Department of Pharmacy, The First People's Hospital of Bijie, Bijie 551700, China

⁴Key Laboratory of Basic Pharmacology of Ministry of Education and Joint International Research

Laboratory of Ethnomedicine of Ministry of Education, Zunyi Medical University, Zunyi 563000,

China

Table of Contents	Page
Figure S1: Key HMBC correlations of 1 and 2	2
Figure S2: HR-ESI-MS spectrum of 1 (3-hydroxy-4, 5, 3'-trimethoxybibenzyl)	2
Figure S3: ¹ H-NMR (600 MHz, CDCl ₃) spectrum of 1 (3-hydroxy-4, 5, 3'-trimethoxybibenzyl)	3
Figure S4: ¹³ C-NMR (150 MHz, CDCl ₃) spectrum of 1 (3-hydroxy-4, 5, 3'-trimethoxybibenzyl)	3
Figure S5: HSQC spectrum of 1 (3-hydroxy-4, 5, 3'-trimethoxybibenzyl)	4
Figure S6: HMBC spectrum of 1 (3-hydroxy-4, 5, 3'-trimethoxybibenzyl)	4
Figure S7: HR-ESI-MS spectrum of 2 (4-hydroxy-3, 5, 3', α- tetramethoxybibenzyl)	5
Figure S8: ¹ H-NMR (400 MHz, CDCl ₃) spectrum of 2 (4-hydroxy-3, 5, 3', α- tetramethoxybibenzyl)	5
Figure S9: ¹³ C-NMR (100 MHz, CDCl ₃) spectrum of 2 (4-hydroxy-3, 5, 3', α- tetramethoxybibenzyl)	6
Figure S10: HSQC spectrum of 2 (4-hydroxy-3, 5, 3', α- tetramethoxybibenzyl)	6
Figure S11: HMBC spectrum of 2 (4-hydroxy-3, 5, 3', α - tetramethoxybibenzyl)	7
Figure S12: ECD spectrum of 2 (4-hydroxy-3, 5, 3', α - tetramethoxybibenzyl)	8
Figure S13: IR spectrum of 2 (4-hydroxy-3, 5, 3', α- tetramethoxybibenzyl)	8
Figure S13: The cytotoxic activities against MDA-MB-231 of compounds	9
Figure S14: The cytotoxic activities against Hela of compounds	9




Figure S1. Key HMBC correlations of 1 and 2




Figure S2: HR-ESI-MS spectrum of 1 (3-hydroxy-4, 5, 3'-trimethoxybibenzyl)




Figure S3: ¹H-NMR (600 MHz, CDCl₃) spectrum of 1 (3-hydroxy-4, 5, 3'-trimethoxybibenzyl)




Figure S4: ¹³C-NMR (150 MHz, CDCl₃) spectrum of **1** (3-hydroxy-4, 5, 3'-trimethoxybibenzyl) © 2021 ACG Publications. All rights reserved.




Figure S5: HSQC spectrum of 1 (3-hydroxy-4, 5, 3'-trimethoxybibenzyl)




Figure S6: HMBC spectrum of 1 (3-hydroxy-4, 5, 3'-trimethoxybibenzyl)




Figure S7: HR-ESI-MS spectrum of 2 (4-hydroxy-3, 5, 3', α- tetramethoxybibenzyl)




Figure S8: ¹H-NMR (400 MHz, CDCl₃) spectrum of 2 (4-hydroxy-3, 5, 3', α- tetramethoxybibenzyl)




Figure S9: ¹³C-NMR (100 MHz, CDCl₃) spectrum of 2 (4-hydroxy-3, 5, 3', α- tetramethoxybibenzyl)




Figure S10: HSQC spectrum of 2 (4-hydroxy-3, 5, 3', α- tetramethoxybibenzyl)




Figure S11: HMBC spectrum of **2** (4-hydroxy-3, 5, 3', α- tetramethoxybibenzyl)




Figure S12: ECD spectrum of **2** (4-hydroxy-3, 5, 3', α- tetramethoxybibenzyl)




Figure S13: IR spectrum of 2 (4-hydroxy-3, 5, 3', α- tetramethoxybibenzyl)




Figure S14: The cytotoxic activities against MDA-MB-231 of compounds

(Results are expressed as mean \pm SEM. Statistical significance compared to the control, * p < 0.05, ** p < 0.01, *** p < 0.001.)




Figure S15: The cytotoxic activities against Hela of compounds

(Results are expressed as mean \pm SEM. Statistical significance compared to the control, * p<0.05, ** p<0.01, *** p<0.001.)