Supporting Information

Rec. Nat. Prod. X:X (202X) XX-XX

Antimicrobial and α-Glucosidase Inhibitory Compounds from the Branches of *Uvaria siamensis*

Ngoc-Hong Nguyen¹, Boi-Phong Vuong², Chuong Hoang Nguyen³, A Dong Huynh³, Dinh-Manh Nguyen², Thuc-Huy Duong², Hoang-Thanh Kpa², Thi-Kim-Dung Le^{4,5}, Thi-Ngoc-Duyen Nguyen², Huy Truong Nguyen^{4*} and Jirapast Sichaem^{6*}

¹CirTech Institute, HUTECH University, 475 A Dien Bien Phu Street, Binh Thanh District, Ho Chi Minh City, Vietnam
²Department of Chemistry, Ho Chi Minh City University of Education, 280 An Duong Vuong Street, District 5, Ho Chi Minh City 748342, Vietnam
³Faculty of Biology and Biotechnology, University of Science, Vietnam National University Ho Chi Minh City, Ho Chi Minh City 700000, Vietnam
⁴Faculty of Pharmacy, Ton Duc Thang University, Ho Chi Minh City 700000, Vietnam
⁵Laboratory of Biophysics, Institute for Advanced Study in Technology, Ton Duc Thang University, Ho Chi Minh City 700000, Vietnam

⁶Research Unit in Natural Products Chemistry and Bioactivities, Faculty of Science and Technology, Thammasat University Lampang Campus, Lampang 52190, Thailand

Table of Contents	Page
Scheme S1: Isolation procedure of 1-8.	3
Table S1: Antimicrobial activity of fractions EA1-EA14 and isolated compounds 1-8.	4
Figure S1A : The ¹ H NMR spectrum of 1 in acetone- d_6 .	5
Figure S2A: The HRESIMS spectrum of 2.	6
Figure S2B: The ¹ H NMR spectrum of 2 in acetone- d_6	6
Figure S2C: The ¹³ C NMR spectrum of 2 in acetone- d_6	7
Figure S2D: The COSY spectrum of 2 in acetone- d_6 .	8
Figure S2E: The HSQC spectrum of 2 in acetone- d_6 .	8
Figure S2F: The HMBC spectrum of 2 in acetone- d_6 .	9
Figure S2G: The NOESY spectrum of 2 in acetone- d_6 .	10
Figure S3A: The ¹ H NMR spectrum of 3 in acetone- d_6 .	11

Figure S4A: The ¹ H NMR spectrum of 4 in acetone- d_6 .	12
Figure S5A: The ¹ H NMR spectrum of 5 in acetone- d_6 .	13
Figure S5B: The ¹³ C NMR spectrum of 5 in acetone- d_6 .	13
Figure S6A: The ¹ H NMR spectrum of 6 in a acetone- d_6 .	14
Figure S6B: The ¹³ C NMR spectrum of 6 in acetone- d_6 .	14
Figure S6C: The HSQC spectrum of 6 in acetone- d_6 .	15
Figure S6D: The HMBC spectrum of 6 in acetone- d_6 .	15



Scheme S1: Isolation procedure of 1-8.

Fraction/Compound	Concentration (mg/mL)	Strain inhibition (mm)	
		S. aureus ATCC 25923	MRSA
EA1	10	12	12
EA2	10	14	12
EA3	10	14	12
EA4	10	14	12
EA5	10	21	18
EA6	10	20	16
EA7	10	20	16
EA8	10	22	17
EA9	10	23	20
EA10	2	13	11
EA11	10	22	18
EA12	2	16	13
EA13	2	14	0
EA14	10	19	15
4	1	13	12
6	1	13	12
1-3, 5, 7-8	10	0	0
DMSO (negative control)	0	0	0
Apramycin (positive control)	1	16	19

Table S1: Antimicrobial activity of fractions EA1-EA14 and isolated compounds 1-8.



Figure S1A: The ¹H NMR spectrum of 1 in acetone- d_6 .



Figure S2B: The ¹H NMR spectrum of 2 in acetone- d_6 .



Figure S2C: The ¹³C NMR spectrum of 2 in acetone- d_6 .



Figure S2D: The COSY spectrum of 2 in acetone- d_6 .



© 2024 ACG Publications. All rights reserved.



Figure S2E: The HSQC spectrum of 2 in acetone-*d*₆.



Figure S2G: The NOESY spectrum of 2 in acetone- d_6 .



Figure S3A:The ¹H NMR spectrum of **3** in acetone- d_6 .



Figure S4A: The ¹H NMR spectrum of 4 in acetone- d_6 .



Figure S5A: The ¹H NMR spectrum of **5** in acetone- d_6 .



Figure S5B: The 13 C NMR spectrum of 5 in acetone- d_6 .



Figure S6A: The ¹H NMR spectrum of 6 in acetone- d_6 .



Figure S6B: The 13 C NMR spectrum of 6 in acetone- d_6 .



Figure S6C: The HSQC spectrum of 6 in acetone-*d*₆.



Figure S6D: The HMBC spectrum of **6** in acetone- d_6 .