

Supporting Information

Rec. Nat. Prod. 9:3(2015) 292-296


Phenolic compounds from the leaves of *Eucalyptus microcorys* F. Muell.

Gilmara A. C. Fortes¹, Antônio J. R. da Silva², Pedro H. Ferri¹ and
Suzana C. Santos^{1*}


¹*Instituto de Química, Universidade Federal de Goiás, 74001-970, Goiânia, GO, Brazil*

²*Núcleo de Pesquisas de Produtos Naturais, Centro de Ciências da Saúde-Universidade
Federal do Rio de Janeiro, 21941-590 Rio de Janeiro, RJ, Brazil*



Table of Contents	Page
S1: ESI-TOF MS Spectrum of Compound 1 (microcoryn)	2
S2: ¹ H-NMR (500 MHz, CD ₆ CO) Spectrum of Compound 1 (microcoryn)	3
S3: COSY (500 MHz) Spectrum of Compound 1 (microcoryn)	4
S4: HSQC (500 MHz) Spectrum of Compound 1 (microcoryn)	5
S5: HMBC (500 MHz) Spectrum of Compound 1 (microcoryn)	6





S1: ESI-TOF MS Spectrum of Compound **1** (microcoryn)




S2: ^1H -NMR (500 MHz, CD_6CO) Spectrum of Compound 1 (microcoryn) (From 7.8 to 3.6 ppm)



S3: COSY (500 MHz) Spectrum of Compound **1** (microcoryn) (From 7.65 to 3.62 ppm)



S4: HSQC (500 MHz) Spectrum of Compound 1 (microcoryn) (From 7.8 to 3.6 ppm)



S5: HMBC (500 MHz) Spectrum of Compound 1 (microcoryn) (From 7.88 to 3.45 ppm)