Supporting Information

Rec. Nat. Prod. 13:2 (2019) 136-140

A New Acylated Benzyl Alcohol Glucoside from Syzygium austroyunnanense

Feng Li, Shaohua Xu, Yan Zhao, Mengjia Li, Wen Xu, Yikao Hu, Dingli Zhang and Yong Zhao*

College of Chemistry and Chemical Engineering, Yunnan Normal University, Kunming 650500, China

Table of Contents

No.	Contents	Page
1.	Figure S1. ¹ H NMR spectrum of compound 1 recorded in MeOD at 600 MHz	2
2.	Figure S2. DEPT spectrum of compound 1 recorded in MeOD at 150 MHz	3
3.	Figure S3. HSQC spectrum of compound 1 recorded in MeOD	4
4.	Figure S4. HMBC spectrum of compound 1 recorded in MeOD	5
5.	Figure S5. ¹ H- ¹ H COSY spectrum of compound 1 recorded in MeOD	6
6.	Figure S6. HR-ESI-MS spectrum of compound 1	7

^{*} Corresponding authors: E-Mail: zhaooy@126.com; Phone: 86-871-65941087




Figure S1. 1 H NMR spectrum of compound 1 recorded in MeOD at 600 MHz




Figure S2. DEPT spectrum of compound 1 recorded in MeOD at 150 MHz




Figure S3. HSQC spectrum of compound 1 recorded in MeOD




Figure S4. HMBC spectrum of compound 1 recorded in MeOD




Figure S5. ¹H-¹H COSY spectrum of compound **1** recorded in MeOD




Figure S6. HR-ESI-MS spectrum of compound 1