Supporting Information

Org. Commun. 12:3 (2019) 169-175

Synthesis and *in vitro* activity of oleanane type derivatives against *Chlamydia trachomatis*

Oxana B. Kazakova¹, Liudmila V. Rubanik², Irina E. Smirnova¹, Olga V. Savinova², Anastasiya V. Petrova¹, Nikolay N. Poleschuk², Elmira F. Khusnutdinova¹, Eugene I. Boreko² and Yuliya M. Kapustina²

¹Ufa Institute of Chemistry of the Ufa Federal Research Centre of the Russian Academy

of Sciences, Ufa, 450054, Russian Federation

²Republican Research and Practical Center for Epidemiology and Microbiology, Minsk, 220114, Belarus

Table of Contents	Page
Figure S1: ¹ H-NMR (500 MHz, CDCl ₃) spectrum of Compound 1	2
Figure S2: ¹³ C-NMR (125.5 MHz, CDCl ₃) spectrum of Compound 1	2
Figure S3: ¹ H-NMR (500 MHz, CDCl ₃) spectrum of Compound 3	3
Figure S4: ¹³ C-NMR (125.5 MHz, CDCl ₃) spectrum of Compound 3	3



Figure S2: ¹³C-NMR (125.5 MHz, CDCl₃) spectrum of Compound 1



Figure S3: ¹H-NMR (500 MHz, CDCl₃) spectrum of Compound 3



Figure S4: ¹³C-NMR (125.5 MHz, CDCl₃) spectrum of Compound 3