

Supporting Information

Rec. Nat. Prod. 13:6 (2019) 456-461

A New Heliquinomycin Analogue with Immunosuppressive Activity from *Streptomyces* sp. jys28

Can Su^{1,2}, Chongxi Liu³, Yongjiang Wang², Wen-Sheng Xiang³,

Chenggang Zou^{*1} and Sheng-Xiong Huang^{*2}

¹ School of Life Sciences, Yunnan University, Kunming, 650091, China

² State Key Laboratory of Phytochemistry and Plant Resources in West China, CAS Center for Excellence in Molecular Plant Sciences, Kunming Institute of Botany, Chinese Academy of Sciences, Kunming 650204, China.

³ Life Science and Biotechnology Research Center, School of Life Science, Northeast Agricultural University, Harbin 150030, China

Table of Contents	Page
Figure S1: ESI-MS spectrum of compound 1	2
Figure S2: ¹ H-NMR (600 MHz, CDCl ₃) spectrum of compound 1	2
Figure S3: ¹³ C-NMR (600 MHz, CDCl ₃) spectrum of compound 1	3
Figure S4: HRESI-MS spectrum of compound 2	4
Figure S5: ¹ H-NMR (600 MHz, CDCl ₃) spectrum of compound 2	5
Figure S6: ¹ H-NMR (600 MHz CDCl ₃ and Pyridine-d ₅) spectrum of compound 2 (from 3.1 to 6.9 ppm)	5
Figure S7: ¹³ C-NMR + DEPT (125 MHz, CDCl ₃) spectrum of compound 2	6
Figure S8: HSQC (600 MHz) spectrum of compound 2	8
Figure S9: HMBC (600 MHz) spectrum of compound 2	11
Figure S10: COSY (600 MHz) spectrum of compound 2	12
Figure S11: ROESY (600 MHz) spectrum of compound 2	13
Figure S12: IR spectrum of compound 2	14
Figure S13: UV spectrum of compound 2	14

* Corresponding author:

E-Mail: chgrou@ynu.edu.cn (C.G. Zou); Phone: 086-871-65034838 Fax: 086-871-65034838

E-Mail: sxhuang@mail.kib.ac.cn (S.-X. Huang); Phone: 086-871-65215112 Fax: 086-871-65215112




Figure S1: ESI-MS Spectrum of compound **1**




Figure S2: ^1H -NMR (600 MHz, CDCl_3) Spectrum of compound **1**




Figure S3: ^{13}C -NMR (600 MHz, CDCl_3) Spectrum of compound **1**




Figure S4: ESI-MS and HRESI-MS Spectrum of compound **2**




Figure S5: ^1H -NMR (600 MHz, CDCl_3) Spectrum of compound **2**




Figure S6: ^1H -NMR (600 MHz CDCl_3 and Pyridine-d_5) Spectrum of compound **2** (From 3.1 to 6.9 ppm)






Figure S7: ^{13}C -NMR + DEPT (125 MHz, CDCl_3) Spectrum of compound **2**










Figure S8: HSQC (600 MHz) Spectrum of compound **2**








Figure S9: HMBC (600 MHz) Spectrum of compound **2**




Figure S10: COSY (600 MHz) Spectrum of compound 2




Figure S11: ROESY (600 MHz) Spectrum of compound **2**




Figure S12: IR spectrum of compound 2




Figure S13: UV spectrum of compound 2