

Supporting Information

Rec. Nat. Prod. 17:1 (2023) 93-98

A Novel Cyclohexane Carboxylic Acid Derivative from Black Turtle Bean (*Phaseolus vulgaris* L.)

Balkisu Abdulrahman^{1,2}, Fadime Aydogan^{1,3}, Fazila Zulfiqar¹,

Jianping Zhao¹, Zulfiqar Ali^{1*}, Ikhlas A. Khan¹, Bala Muntari⁴

and Bello Oluwasesan ⁵

¹ National Centre for Natural Product Research School of Pharmacy University of Mississippi, 38655, USA

² Department of Biochemistry and Molecular Biology, Federal University Dutsin- Ma, Katsina, Nigeria

³ Department of Biochemistry, Faculty of Basic Medical science Bayero University Kano, Nigeria

⁴ Department of Pharmaceutical Botany, Faculty of Pharmacy, Dicle University, Diyarbakır, Turkey

⁵ Department of Chemistry, Faculty of Physical sciences, Federal University Dutsin- Ma, Katsina, Nigeria

Table of Contents	Page
Figure S1: HR-ESI-MS spectra of 1	2
Figure S2: IR spectrum of 1	3
Figure S3: ¹ H-NMR (500 MHz, CD ₃ OD) spectrum of 1	4
Figure S4: ¹³ C-NMR (125 MHz, CD ₃ OD) spectrum of 1	5
Figure S5: HSQC spectrum of 1 (500 MHz, CD ₃ OD)	6
Figure S6: ¹ H- ¹ H COSY spectrum of 1 (500 MHz, CD ₃ OD)	7
Figure S7: HMBC spectrum of 1 (500 MHz, CD ₃ OD)	8
Figure S8: ¹ H-NMR (500 MHz, CD ₃ OD) spectrum of 2	9
Figure S9: ¹³ C-NMR (125 MHz, CD ₃ OD) spectrum of 2	10
Figure S10: ¹ H-NMR (500 MHz, CD ₃ OD) spectrum of 3	11
Figure S11: ¹³ C-NMR (125 MHz, CD ₃ OD) spectrum of 3	12
Figure S12: ¹ H-NMR (500 MHz, CD ₃ OD) spectrum of 4 and 5	13
Figure S13: ¹³ C-NMR (125 MHz, CD ₃ OD) spectrum of 4 and 5	14
Figure S14: Structure of most closely related compounds based on Sifinder search	15
Figure S15: Structure of most closely related compounds based on Sifinder search	16




Figure S1: HR-ESI-MS spectra of **1**




Figure S2: IR spectrum of **1**




Figure S3: ^1H -NMR (500 MHz, CD_3OD) spectrum of **1**




Figure S4: ^{13}C -NMR (125 MHz, CD_3OD) spectrum of **1**




Figure S5: HSQC spectrum of **1**, (500 MHz, CD₃OD)




Figure S7: HMBC spectrum of **1**, (500 MHz, CD₃OD)




Figure S8: ^1H -NMR (500 MHz, CD_3OD) spectrum of **2**

© 2022 ACG Publications. All rights reserved.




Figure S9: ^{13}C -NMR (125 MHz, CD_3OD) spectrum of **2**




Figure S10: ^1H -NMR (500 MHz, CD_3OD) spectrum of **3**

© 2022 ACG Publications. All rights reserved.




Figure S11: ^{13}C -NMR (125 MHz, CD_3OD) spectrum of **3**

© 2022 ACG Publications. All rights reserved.




Figure S12: ^1H -NMR (500 MHz, $\text{C}_5\text{D}_5\text{N}$) spectrum of **4** and **5**





Figure S11: ^{13}C -NMR (125 MHz, $\text{C}_5\text{D}_5\text{N}$) spectrum of **4** and **5**

Table S1 : Published ^1H and ^{13}C NMR data of lasdiploic acid

Position	δ_{C}	δ_{H} (J in Hz)
1	178.7	
2	35.3	2.47 (dd, 15.3, 9.4, 1H) 2.26 (dd, 15.5, 9.2, 1H)
3	36.6	2.69 (m, 1H)
4	28.3	2.15–1.91 (m, 1H) 1.40–1.27 (m, 1H)
5	29.7	1.40–1.27 (m, 2H)
6	32.5	2.15–1.91 (m, 1H) 1.62–1.56 (m, 1H)
7	77.6	4.04 (m, 1H)
8	50.5	2.15–1.91 (m, 1H)
9	25.3	2.15–1.91 (m, 2H)
10	127.0	5.38 (m, 1H)
11	133.3	5.48 (m, 1H)
12	20.7	2.15–1.91 (m, 2H)
13	14.2	0.98 (t, 7.5, 3H)



Lasdiploic Acid

Figure S14a: Structure and NMR data of lasdiploic acid which is the most similar to compound 1 according to Scifinder search.

S. Kumar, A.D. Pagar, F. Ahmad, V. Dwibedi, A. Wani, P.V. Bharatam, M. Chhibber, S. Saxena, and S. Pal I (2019). Xanthine oxidase inhibitors from an endophytic fungus *Lasioidiplodia pseudotheobromae*, *Bioorg. Chem.* **87**, 851–856.

Table S2 : Published ^1H and ^{13}C NMR data of jasmonic acid

Position	δ_{C}	δ_{H} (J in Hz)
1	37.77	2.13 (m)
2	53.88	1.95 (m)
3	218.10	-
4	38.65	2.79, 2.37
5	27.15	2.33, 1.52
1	25.51	2.38
2	124.82	5.26 (dt, $J=10.5$, 5.5)
3	134.22	5.47 (dt, $J=10.5$, 5.5)
4	20.58	2.03, 1.64 (m)
5	14.05	0.97 (t, $J=6.0$)
CH_2	37.69	2.32
COOH	177.69	-




Figure S14b: Structure of -Jasmonic Acid which is 2nd most similar to compound 1 according to Scifinder search.

A.Husain, A. Ahmad and P.K. Agrawal (1993). (-)-Jasmonic acid, a phytotoxic substance from botryodiplodia theobromae: characterization by NMR spectroscopic methods, *J. Nat. Prod.* **56**, 2008–2011.