

## Supporting Information

*Rec. Nat. Prod.* X:X (2025) XX-XX

### A New Polyketide Derivative from the *Nicotiana tabacum* Symbiotic Fungus *Aspergillus japonicus* TE-739D

Haisu Wang<sup>1,#</sup>, Renji Gao<sup>2,#</sup>, Xijin Liu<sup>3</sup>, Xiaojie Bai<sup>3</sup>, Long Jiang<sup>3</sup>, Peng Zhang<sup>1</sup>, Lei Zhan<sup>2\*</sup> and Gan Gu<sup>1\*</sup>


<sup>1</sup> Tobacco Research Institute, Chinese Academy of Agricultural Sciences, Qingdao 266101, China

<sup>2</sup> China Tobacco Guangdong Industrial Co., Ltd., Guangdong 510310, China


<sup>3</sup> Shandong Linyi Tobacco Co., Ltd., Linyi 276000, China

Table of Contents	Page
<b>Figure S1:</b> HRESIMS spectrum of <b>1</b>	2
<b>Figure S2:</b> <sup>1</sup> H NMR (600 MHz, DMSO- <i>d</i> <sub>6</sub> ) spectrum of <b>1</b>	3
<b>Figure S3:</b> Enlarged <sup>1</sup> H NMR (500 MHz, DMSO- <i>d</i> <sub>6</sub> ) spectrum of <b>1</b>	4
<b>Figure S4:</b> <sup>13</sup> C NMR (150 MHz, DMSO- <i>d</i> <sub>6</sub> ) spectra of <b>1</b>	5
<b>Figure S5:</b> HSQC spectrum of <b>1</b>	6
<b>Figure S6:</b> HMBC spectrum of <b>1</b>	7
<b>Figure S7:</b> Enlarged HMBC spectrum of <b>1</b>	8
<b>Figure S8:</b> Enlarged HMBC spectrum of <b>1</b>	9
<b>Figure S9:</b> Scifinder search results of <b>1</b>	10
<b>Table S1:</b> Structural and NMR comparative analysis of <b>1</b> and ieodomycin C	11


<sup>#</sup>These authors contributed equally to this work. \*Corresponding author: E-mail: gugan@caas.cn (G. Gu); zhanlei@gdzygy.com (L. Zhan)




**Figure S1:** HRESIMS spectrum of **1**




**Figure S2:**  $^1\text{H}$  NMR (500 MHz, DMSO- $d_6$ ) spectrum of **1**




**Figure S3:** Enlarged  $^1\text{H}$  NMR (600 MHz,  $\text{DMSO}-d_6$ ) spectrum of **1**




**Figure S4:**  $^{13}\text{C}$  NMR (150 MHz, DMSO- $d_6$ ) spectra of **1**




**Figure S5:** HSQC spectrum of **1**



**Figure S6:** HMBC spectrum of **1**



**Figure S7:** Enlarged HMBC spectrum of **1**



**Figure S8:** Enlarged HMBC spectrum of **1**

## Substances search for drawn structure

References ▾ Reactions ▾ Suppliers ▾

Structure Match Filtering: Similarity: 2 Selected ▾ Number of Components: 1 ▾ Clear All Filters

As Drawn (0) Substructure (3,896) Similarity (100K)

Chemscape Analysis Visually explore structure similarity with a powerful new tool. Learn more about Chemscape. Create Chemscape Analysis

Filter Behavior Filter by Exclude

Search Within Results

Similarity

- 90-94 (23)
- 85-89 (115)
- 80-84 (766)
- 75-79 (3,548)

138 Results Sort: Number of References: Descending ▾ View: Partial ▾



	Number of References	Number of Reactions	Number of Suppliers
1 38609-44-8	12	20	1
2 1312925-57-7	7	38	1
3 945997-09-1	5	38	0
4 137592-09-7	86	86	0
5 945997-12-6	90	90	0
6 1060673-80-4	89	89	0

Chemical structures and details for each result:

- 1 38609-44-8**: C<sub>12</sub>H<sub>20</sub>O<sub>3</sub>, (4E,8E)-10-Hydroxy-4,8-dimethyl-4,8-decadienoic acid. Double bond geometry shown.
- 2 1312925-57-7**: C<sub>12</sub>H<sub>20</sub>O<sub>4</sub>, leodomycin C. Absolute stereochemistry shown, Double bond geometry shown.
- 3 945997-09-1**: C<sub>15</sub>H<sub>26</sub>O<sub>3</sub>, (3R,4E,6E)-3-Hydroxy-4-methyl-4,6-tetradecadienoic acid. Absolute stereochemistry shown, Double bond geometry shown.
- 4 137592-09-7**: C<sub>12</sub>H<sub>20</sub>O<sub>3</sub>, (4E,8E)-10-Hydroxy-4,8-dimethyl-4,8-decadienoic acid. Double bond geometry shown.
- 5 945997-12-6**: C<sub>12</sub>H<sub>20</sub>O<sub>4</sub>, leodomycin C. Double bond geometry shown.
- 6 1060673-80-4**: C<sub>15</sub>H<sub>26</sub>O<sub>3</sub>, (3R,4E,6E)-3-Hydroxy-4-methyl-4,6-tetradecadienoic acid. Double bond geometry shown.

Figure S9: Scifinder search results of 1

**Table S1:** Structural and NMR comparative analysis of **1** and ieodomycin C [1]



No	Compound <b>1</b> <sup>a</sup>		Ieodomycin C <sup>b</sup>	
	$\delta_{\text{H}}$ ( <i>J</i> in Hz)	$\delta_{\text{C}}$ , type	$\delta_{\text{H}}$ ( <i>J</i> in Hz)	$\delta_{\text{C}}$ , type
1		173.5 C		175.6 C
2	2.21 dd (15.0, 7.0) 2.17 m	41.5 CH <sub>2</sub>	2.45 d (6.0)	43.7 CH <sub>2</sub>
3	2.60 m	33.2 CH	4.50 m	70.2 CH
4	5.50 dd (15.2, 7.3)	136.3 CH	5.60 dd (15.3, 6.5)	133.6 CH
5	6.21 ddd (15.2, 11.1, 1.2)	124.9 CH	6.22 dd (15.3, 10.5)	132.1 CH
6	5.73 d (11.1)	126.3 CH	6.03 dd (15.3, 10.5)	131.0 CH
7		134.6 C	5.70 dt (15.3, 7.0)	136.1 CH
8	2.11 dd (13.3, 6.9) 1.97 dd (13.3, 6.2)	49.6 CH <sub>2</sub>	2.10 m	33.7 CH <sub>2</sub>
9	3.75 p (6.3)	64.7 CH	1.50 m 1.38 m	26.7 CH <sub>2</sub>
10	1.00 d (6.8)	23.5 CH <sub>3</sub>	1.42 m	39.8 CH <sub>2</sub>
11	0.96 d (6.1)	20.1 CH <sub>3</sub>	3.70 m	68.5 CH
12	1.69 s	16.9 CH <sub>3</sub>	1.13 d (6.0)	23.6 CH <sub>3</sub>

<sup>a</sup> In DMSO-*d*<sub>6</sub>; <sup>b</sup> In CD<sub>3</sub>OD

#### Reference:

1. M. A. M. Mondol, J. H. Kim, M. A. Lee, F. S. Tareq, H. S. Lee, Y. J. Lee and H. J. Shin (2011). Ieodomycins A-D, Antimicrobial Fatty Acids from a Marine *Bacillus* sp. *J. Nat. Prod.* **74**, 1606–1612.